

Revision date : 2022/10/06 Version: 4.0

Page: 1/12 (30616566/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PT Alpine Pressurized Fly Bait

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF Canada Inc. 5025 Creekbank Road Building A, Floor 2 Mississauga, ON, L4W 0B6, CANADA <u>Contact address:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932 USA Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: Registration number: Synonyms: 640597 EPA Registration number: 499-568 Dinotefuran

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

| Flam. Liq. | 1 | Flammable liquids |
|------------|----------------------|--|
| STOT SE | 3 (Vapours may cause | Specific target organ toxicity — single exposure |

Revision date: 2022/10/06 Version: 4.0

STOT SE

Aquatic Acute

Flam. Aerosol

Aquatic Chronic

drowsiness and dizziness.) 3 (irritating to respiratory system) 3 3 2

Specific target organ toxicity — single exposure

Hazardous to the aquatic environment - acute Hazardous to the aquatic environment - chronic Flammable aerosols

Label elements



Signal Word:



Danger Hazard Statement: Extremely flammable liquid and vapour. H224 H223 Flammable aerosol. H336 May cause drowsiness or dizziness. H335 May cause respiratory irritation. H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

| Frecautionally Stateme | |
|------------------------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other |
| | ignition sources. No smoking. |
| P280 | Wear protective gloves and eye protection or face protection. |
| P243 | Take action to prevent static discharges. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P261 | Avoid breathing mist or vapour or spray. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P240 | Ground and bond container and receiving equipment. |
| P242 | Use only non-sparking tools. |
| Precautionary Stateme | ents (Response): |
| P312 | Call a POISON CENTER or physician if you feel unwell. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower. |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P370 + P378 | In case of fire: Use water spray, dry powder, foam or carbon dioxide for |
| F370 + F370 | extinction. |
| Precautionary Stateme | ents (Storage): |
| P233 | Keep container tightly closed. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P410 + P412 | Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F. |
| P405 | Store locked up. |

Page: 2/12 (30616566/SDS_CPA_US/EN)

Revision date: 2022/10/06 Version: 4.0

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

Labeling of special preparations (GHS): Repeated exposure may cause skin dryness or cracking.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Dinotefuran

CAS Number: 165252-70-0 Content (W/W): 1.0 % Synonym: Dinotefuran

dimethyl ether

CAS Number: 115-10-6 Content (W/W): 10.0 - 15.0% Synonym: Dimethyl ether

Acetone

CAS Number: 67-64-1 Content (W/W): 25.0 - 50.0% Synonym: Acetone

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Revision date: 2022/10/06 Version: 4.0

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, nitrogen oxides The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

Revision date: 2022/10/06 Version: 4.0

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

| Components with occupational exposu | ure limits |
|-------------------------------------|------------|
|-------------------------------------|------------|

| Acetone | ACGIH, US: | TWA value 250 ppm ; |
|---------|------------|-----------------------------|
| | ACGIH, US: | STEL value 500 ppm ; |
| | OSHA Z1: | PEL 1,000 ppm 2,400 mg/m3 ; |

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

<u>Personal protective equipment</u> RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure

Revision date: 2022/10/06 Version: 4.0

demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

| Form: Odour: Odour threshold: Colour: pH value: | aerosol of acetone Not determined due to potential health haz pale straw yellow approx. 8 - 10 | ard by inhalation. |
|---|--|--------------------|
| Melting point: Boiling point: | (1%(m), 25 °C) The product has not been tested. approx23.7 °C Information applies to the solvent. | |
| Flash point: | -41 °C | |
| Flammability: | Information applies to the solvent. not applicable | |
| Flammability of Aerosol | 17.78 cm | (ASTM D 3065) |
| Products: | no flashback | |
| NFPA 30B flammability: | Level 1 Aerosol | |
| Lower explosion limit: | 3.3 %(V) | |
| | Information applies to the solvent. | |
| Upper explosion limit: | 26.2 %(V) | |
| | Information applies to the solvent. | |
| Autoignition: | 350 °C | |
| - | Information applies to the solvent. | |
| Vapour pressure: | approx. 5,100 hPa | |
| | (20 °C) | |
| | Information applies to the solvent. | |
| Density: | approx. 1.00 g/cm3 | |
| , , | (20 °C) | |
| Vapour density: | not applicable | |
| Partitioning coefficient n- | The statements are based on the | |
| octanol/water (log Pow): | properties of the individual | |
| ······ | components. | |
| Thermal decomposition: | No decomposition if stored and handled as | 6 |
| | prescribed/indicated. | |
| | | |

Revision date: 2022/10/06 Version: 4.0

Viscosity, dynamic:

Solubility in water: Evaporation rate: Other Information: approx. 2.34 mPa.s (20 °C) dispersible not applicable If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products: Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

<u>Oral</u> Type of value: LD50 Species: rat (female) Value: > 5,000 mg/kg (OECD Guideline 425)

Revision date: 2022/10/06 Version: 4.0 Page: 8/12 (30616566/SDS_CPA_US/EN)

No mortality was observed.

Inhalation Type of value: LC50 Species: rat (male/female) Value: > 5.09 mg/l (OECD Guideline 403) Exposure time: 4 h No mortality was observed.

Dermal Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg (OECD Guideline 402) No mortality was observed.

Assessment other acute effects Assessment of STOT single: Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

<u>Irritation / corrosion</u> Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin.

<u>Skin</u> Species: rabbit Result: non-irritant Method: OECD Guideline 404

<u>Eye</u> Species: rabbit Result: non-irritant Method: OECD Guideline 405

<u>Sensitization</u> Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Buehler test Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Revision date: 2022/10/06 Version: 4.0

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Teratogenicity

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

<u>Other Information</u> Misuse can be harmful to health. Has a degreasing effect on skin.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Harmful to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Dinotefuran technical LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss LC50 (96 h) > 100 mg/l, Cyprinus carpio

Aquatic invertebrates

Information on: Dinotefuran technical EC50 (48 h) > 1,000 mg/l, Daphnia magna EC50 (96 h) 0.79 mg/l, Mysidopsis bahia

Aquatic plants

Information on: Dinotefuran technical EC50 (72 h) 97.6 mg/l (biomass), Pseudokirchneriella subcapitata

Chronic toxicity to aquatic invertebrates

Information on: Dinotefuran technical

Revision date: 2022/10/06 Version: 4.0

No observed effect concentration 0.089 mg/l, Mysidopsis bahia

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Dinotefuran technical

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Dinotefuran technical

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dinotefuran technical

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Revision date: 2022/10/06 Version: 4.0

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

| Land transport USDOT Hazard class: ID number: Hazard label: Proper shipping name: | 2.1 UN 1950 2.1 AEROSOLS |
|---|---|
| Sea transport IMDG Hazard class: ID number: Hazard label: Marine pollutant: Proper shipping name: | 2.1 UN 1950 2.1 NO AEROSOLS |
| Air transport | |

| IATA/ICAO | |
|-----------------------|---------------------|
| Hazard class: | 2.1 |
| ID number: | UN 1950 |
| Hazard label: | 2.1 |
| Proper shipping name: | AEROSOLS, FLAMMABLE |
| | |

Further information

This product may be classified as limited quantity in selected package sizes.

15. Regulatory Information

Federal Regulations

Registration status: Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

<u>CERCLA RQ</u> 5000 LBS 100 LBS <u>CAS Number</u> 67-64-1 115-10-6 Chemical name Acetone dimethyl ether

| State regulations | | |
|-------------------|------------|----------------|
| State RTK | CAS Number | Chemical name |
| PA | 67-64-1 | Acetone |
| | 115-10-6 | dimethyl ether |

Revision date: 2022/10/06 Version: 4.0

NJ

Page: 12/12 (30616566/SDS_CPA_US/EN)

67-64-1 Acetone 115-10-6 dimethyl ether

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION: KEEP OUT OF REACH OF CHILDREN. Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2022/10/06

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET